

CATALOGUE

OF PRODUCTION

ETALON

NOMINAL

FREZZATTI

PERFETTO

HIDDEN DOORS





IN WOOD

ART OPENS DOORS

CONTENT

01

STRUCTURE

Company.....	4-7
--------------	-----

02

CATALOGUE OF PRODUCTION

Etalon collection	8-29
Nominal collection	30-41
Frezzatti collection	42-57
Perfetto collection	58-61
Hidden Doors	62

03

FURNITURE

Molding	63
Door accessories	64

ABOUT US

IN WOOD is a manufacturer of interior doors with 20 years of experience. We are known for our attention to every detail and impeccable professionalism, which we have been perfecting for years.

Thanks to these qualities, our interior doors become not just a functional element, but a true work of art.



MISSION

Ensuring comfort
and coziness
for every client

GOAL

Growth in the
company's performance
indicators



CORE PRINCIPLES



We work exclusively with eco-friendly materials



We implement new production technologies



We use modern equipment




We design combined styles in interiors



We scale up production capacities



We fulfill custom orders



STRONG POINTS OF THE COMPANY'S PRODUCT



The doors are made from high-quality dry wood



The 6mm thick MDF sheet layer ensures high rigidity and shape stability



The increased beam cross-section (27x80 mm) ensures the durability of the structure



The honeycomb filler with a fine cell structure (18 mm) ensures uniformity, flatness, and rigidity



The closed edges of the door panel and the aluminum edging provide additional protection against moisture and damage



The standardization of product sizes with a 50 mm increment



The size grid of frames (80, 100, 120 mm) provides flexibility in selection and facilitates customer service

ART OPENS DOORS

This is not just a slogan, but the philosophy of IN WOOD. We create doors that combine durability, quality, and beauty. By choosing IN WOOD, you get not only functionality but also an aesthetic masterpiece that opens new horizons for your style and taste. As true artists, we care for every detail to ensure that our doors become a work of art in your home.



The image features a dark blue background with a central graphic element. This element consists of a light beige square divided into several geometric sections by dark blue lines. A horizontal dark blue bar with rounded ends is superimposed over the center of the square, containing the text 'ETALON COLLECTION' in a light beige, serif, all-caps font. The overall design is minimalist and modern.

ETALON COLLECTION

ETALON

High European quality is the main advantage of the ETALON panel door collection.

The strength of the doors in this collection is ensured by a wooden frame, the inner part of which is made from durable softwood species.

They are easy to decorate with PVC film and are known for their simplicity in maintenance.

ET-01



White pine



Wenge southern embossed








Carpathian spruce

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-02



White textured



Veneer brown







Oak chateau

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-03



Ash softtouch



Astana merle



Black crust

PVC COLOR PALETTE




White



Ashen softtouch




White textured



Pine Provence



Oak Glasgow IVF



Rustic Avinon white



Astana merle



Black crust



Oak chateau



Carpathian spruce



Rustic gold



Wenge southern embossed



Veneer brown




Concrete snow



Concrete grey



Concrete dark



Slice stone

Dimensions:


Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm



ET-04



Concrete grey



Concrete dark









Slice stone

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-05



White pine



Wenge southern embossed









Carpathian spruce

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-06



White textured



Veneer brown








Oak chateau

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-07



Ash softtouch



Astana merle









Black crust

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-08



Concrete grey



Concrete dark








Slice stone

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-09



White pine



Wenge southern embossed






Carpathian spruce

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-10



White textured



Veneer brown







Oak chateau

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-11



Ash softtouch



Astana merle



Black crust

PVC COLOR PALETTE




White



Ashen softtouch




White textured



Pine Provence



Oak Glasgow IVF



Rustic Avinon white



Astana merle



Black crust



Oak chateau



Carpathian spruce



Rustic gold



Wenge southern embossed



Veneer brown




Concrete snow




Concrete grey



Concrete dark



Slice stone



Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-12



Concrete grey



Concrete dark



Slice stone

PVC COLOR PALETTE




White



Ashen softtouch




White textured



Pine Provence



Oak Glasgow IVF



Rustic Avinon white



Astana merle



Black crust



Oak chateau



Carpathian spruce



Rustic gold



Wenge southern embossed



Veneer brown




Concrete snow




Concrete grey



Concrete dark



Slice stone



Dimensions:

Height: Standard 1800-2100 mm


(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-13



White pine



Wenge southern embossed








Carpathian spruce

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-14



White textures



Veneer brown








Oak chateau

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-15



Ash softtouch



Astana merle







Black crust

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-16



Concrete grey



Concrete dark







Slice stone

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-17



White pine



Wenge southern embossed








Carpathian spruce

PVC COLOR PALETTE



White

Ashen
softtouchWhite
texturedPine
ProvenceOak
Glasgow IVFRustic
Avinon whiteAstana
merleBlack
crustOak
chateauCarpathian
spruceRustic
goldWenge
southern
embossedVeneer
brownConcrete
snowConcrete
greyConcrete
darkSlice
stone

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm


(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-18



PVC COLOR PALETTE



Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm


(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-19



PVC COLOR PALETTE



Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm


(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm

ET-20



PVC COLOR PALETTE



Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm



NOMINAL COLLECTION

NOMINAL

The interior doors of the NOMINAL collection feature a versatile minimalist design, making them a perfect fit for any room or office interior.

These doors are resistant to moisture and temperature fluctuations, allowing their use even in bathrooms. An exceptionally wide range of PVC films offers the opportunity to choose the most suitable door color.

NL-01



Oak nemo latte



Oak nemo silver




Oak pasadena


PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

NL-02



Oak shato



Silver oxide




Dark oxide


PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm


(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm


NL-03




PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm


(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

NL-04




PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

NL-05



Oak nemo latte



Oak nemo silver




Oak pasadena


PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

NL-06



Anthracite



Feldgrau




Memo oak late


PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

NL-07



Nemo oak silver



Oak Pasadena




Oak port


PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

NL-08



Oak chateau



Wenge southern




Oak light


PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

NL-09



Anthracite



Feldgrau




Oak nemo late


PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

NL-10



Nemo oak silver



Oak Pasadena




Oak port


PVC COLOR PALETTE









White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm



The Frezzatti collection of panel interior doors is an element of interior design that captures everyone's attention.

Refined geometry, sophisticated style, and a wide range of options — that's what this collection has to offer.

A broad palette of PVC film finishes and the possibility of painting according to the RAL and NCS lists expand the horizons for implementing creative design solutions.

F

R

E

Z

Z

A


T

T

I

FZ-01

RAL / NCS -
painting according
to RAL and NCS lists



Anthracite




Feldgrau




Nemo oak late

PVC COLOR PALETTE



White



Anthracite



Feldgrau




Nemo oak late



Nemo oak silver




Oak Pasadena



Oak port




Oak chateau




Wenge southern




Oxide light



Oxide dark



Oxide white



Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-02

RAL / NCS -
painting according
to RAL and NCS lists



Nemo oak silver




Oak Pasadena




Oak port

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-03

RAL / NCS -
painting according
to RAL and NCS lists



Oak chateau




Wenge southern




Oxide light

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-04

RAL / NCS -
painting according
to RAL and NCS lists



Anthracite




Feldgrau




Nemo oak late

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-05

RAL / NCS -
painting according
to RAL and NCS lists



Nemo oak silver




Oak Pasadena




Oak port

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-06

RAL / NCS -
painting according
to RAL and NCS lists



Oak chateau




Wenge southern




Oxide light

PVC COLOR PALETTE







White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-07

RAL / NCS -
painting according
to RAL and NCS lists



Anthracite




Feldgrau




Nemo oak late

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-08

RAL / NCS -
painting according
to RAL and NCS lists



Nemo oak silver



Oak Pasadena




Oak port

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-09

RAL / NCS -
painting according
to RAL and NCS lists



Oak chateau




Wenge southern




Oxide light

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-10

RAL / NCS -
painting according
to RAL and NCS lists



Anthracite



Feldgrau




Nemo oak late

PVC COLOR PALETTE



White



Anthracite



Feldgrau




Nemo oak late



Nemo oak silver




Oak Pasadena



Oak port




Oak chateau




Wenge southern



Oxide light



Oxide dark



Oxide white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-11

RAL / NCS -
painting according
to RAL and NCS lists



Nemo oak silver



Oak Pasadena




Oak port

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-12

RAL / NCS -
painting according
to RAL and NCS lists



Oak chateau




Wenge southern



Oxide light

PVC COLOR PALETTE







White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-13

RAL / NCS -
painting according
to RAL and NCS lists



Anthracite




Feldgrau




Nemo oak late

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)


Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

FZ-14

RAL / NCS -
painting according
to RAL and NCS lists



Nemo oak silver




Oak Pasadena




Oak port

PVC COLOR PALETTE








White



Anthracite



Feldgrau

Nemo oak
lateNemo oak
silverOak
PasadenaOak
portOak
chateauWenge
southernOxide
lightOxide
darkOxide
white

Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm



The Perfetto collection — elegant and flawless form.

Panel interior doors crafted on a sturdy wooden frame and painted MDF panels, providing a smooth surface and a modern look.

Milling adds refined accents, and the option to paint in any color from the RAL palette offers complete freedom to realize your design ideas.

Perfetto — where every millimeter is perfect.

PF-01



RAL / NCS -
painting according
to RAL and NCS lists



PVC COLOR PALETTE



Dimensions:


Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 40 mm




PF-02



RAL / NCS -
painting according
to RAL and NCS lists



PVC COLOR PALETTE



Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)

Width: 400-900 mm


(Maximum door panel width - 1000 mm, with a 50 mm increment)

Thickness: 34 mm

DOORS FOR PAINTING / HIDDEN DOORS




Door leaf	Edge
MDF Door Leaf for Painting (Film Finish)	Aluminium
MDF Door Leaf for Painting (Film Finish), Inside	Aluminium
MDF Door Leaf for Painting (Film Finish)	Primed



PALETTE

Color selection according
to the RAL / NCS chart



Dimensions:

Height: Standard 1800-2100 mm

(Maximum door panel height - 2300 mm, with a 50 mm increment)


Width: 400-900 mm

(Maximum door panel width - 1000 mm, with a 50 mm increment)


Thickness: 40 mm, 56 mm (Inside)

MOLDINGS


TELESCOPIC DOOR FRAME



80 MM



100 MM



120 MM

TELESCOPIC TRIM



Wing
20 MM



Wing
40 MM

FLUSH TRIM




80 MM

FLUSH DOOR FRAME



80 MM

CONCEALED ALUMINUM DOOR FRAME



61x45 MM

TELESCOPIC DOOR CASING



100 MM



150 MM



200 MM

DOOR ACCESSORIES

LOCKS AND HINGES



Magnetic lock
AGB



Magnetic lock
MVM



Concealed hinge
ANSELM

MOLDING



Black



Grey

ALUMINUM EDGE



Black



Anodized



RAL color chart



IN WOOD

ART OPENS DOORS



Website



ART OPENS DOORS



Telegram



Facebook



Instagram



TikTok

 Poltava, Sportyvnyi lane, 4
 +38 050 308 18 99
 export@inwood.com.ua